Accomplished since last Nov

- Core team fixed convection and re-run GISS/FVGCM with OH from Mich.
- Mich. compared aerosol simulations with 3 met fields with observations
- 3. Incorporated UMaer microphysics model into GMI and run with DAO
- 4. Finished pre-industry runs with pre-industry emissions for all three met fields (using present-day OH)
- 5. Michigan calculated aerosol direct forcing for 3 met fields
- 6. Incorporated cloud drop activation parameterization into GMI model
- 7. Subgrid vertical velocity calculations using empirical aerosol droplet correlation
- 8. 2-D microphysical intercomparison between AER and UMaer aerosol microphysics models

List of tasks (short term):

- 1. Finish aerosol calculation paper and submit (UM) (~ 1 month)
- 2. Finish the FVGCM and GISS aerosol microphysical runs (core team) (~1 month).
- 3. Michigan to compare RH in FVGCM/GISS fields with satellite obs—consider comparison with ECMWF reanalysis fields (UM) (~ 1 month)
- 4. Re-run DAO met fields with offline OH, NO3, O3, HO2, JH2O2 from respective trop. chemistry run (core team) (~ 1 month)
- 5. Compute pre-industrial OH fields from tropospheric model and do pre-industrial aerosol run with DAO using the UM pre-industrial emissions and calculated pre-industrial OH fields (core team) (~ 1 month)
- 6. Repeat #4 but for GISS & FVGCM met fields (~ 2 months) (core team).
- 7. Double check the aerosol fields (SO4) if impacted too much from updated OH fields (UM) (~ 2 months)
- 8. Aerosol 1st indirect forcing calculations with DAO (Gatech) (\sim 2 months)
- 9. Write-up 2-D aerosol microphysical intercomp. paper (AER) (~ 3 months)



- Evaluation UMaer aerosol microphysical runs for 3 met fields, write-up paper and submit it (UM) (~ 6 months)
- 2. Add non-sulfate aerosol types into AER microphysical model (AER) (~ 6 months)
- Consistent emission fields with met fields (dust and sea salt) (core team) (~ 6 months)

Long term goals:

- 1. Incorporate our aerosol simulations in the tropospheric model offline fields (core team)
- Add AER, and TOMAS (from Peter Adams) microphysics models to GMI (core team)
- 3. Update met fields to include more quantities relevant for aerosol/cloud interactions (e.g., TKE for diagnosing updraft velocity) (core team)
- 4. Couple aerosols & clouds with the tropospheric chemistry online (core team)
- Update secondary organic aerosol predictions in the GMI assess the potential for long range transport of these species (everybody)
- 6. Incorporate AER aerosol in COMBO model (AER, core)
- 7. Updating the UMaer aerosol microphysics to incorporate variable distribution width (UM)